APPROVED
By Jeremy Pearce at 2:38 pm, Apr 10, 2015

APPROVED
By Malcolm Glezerson at 12:25 pm, Apr 08, 2015

SCHEDULING STATUS: SO

PROPRIETARY NAME AND DOSAGE FORM:
NAELTJIE-OLIE

COMPOSITION:
Clove oil B.P.
SUGAR FREE

PHARMACOLOGICAL CLASSIFICATION:
A 13.3 Surface Anaesthetics

PHARMACOLOGICAL ACTION:
Clove oil acts as a surface anaesthetic, as well as an antispasmodic and carminative.

INDICATIONS:
For the relief of toothache and flatulent colic.

CONTRAINDICATIONS:
Sensitivity to the product.

DOSAGE AND DIRECTIONS FOR USE:
For toothache
Apply a few drops onto a piece of cotton wool and plug into the affected tooth.
For wind and colic
0,05 ml to 0,2 ml (3 to 5 drops) on sugar.

SIDE EFFECTS AND SPECIAL PRECAUTIONS:
None known, if used as directed.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:
Excessive doses are irritant to the gastro-intestinal tract and may cause nausea, vomiting and diarrhoea. There may be occasional irritation of the urinary tract and aggravation of pre-existing inflammatory conditions. The central nervous system may be depressed leading to stupor and respiratory failure, or stimulated leading to excitement and convulsions. In acute poisoning the stomach should be emptied by emesis and lavage. A saline purgative may be given such as sodium sulphate (30 g in 250 ml water) unless catharsis is already present. Demulcent drinks may be given. Large volumes of fluid should be given provided renal function is adequate.

IDENTIFICATION:
A colourless or pale yellow liquid.

PRESENTATION:
Packs of 5 ml and 20 ml.
Not all packs and pack sizes are necessarily marketed.

STORAGE INSTRUCTIONS:
Store at or below 25 °C.
KEEP OUT OF REACH OF CHILDREN.

REFERENCE NUMBER:
G1486 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF THE APPLICANT:
Pharmacare Limited
Healthcare Park
Woodlands Drive
Woodmead 2191

DATE OF PUBLICATION OF THIS PACKAGE INSERT:
26 November 1974

308755/140654

Harry's Printers EL

APPROVED
By Malcolm Glezerson at 12:25 pm, Apr 08, 2015

APPROVED
By Jeremy Pearce at 2:38 pm, Apr 10, 2015

SKEDULERINGSTATUS: SO

EIENDOMSNAAM EN DOSEERVORM:
NAELTJIE-OLIE

SAMESTELLING:
Naeltjie-olie B.P.
SUIKERVRY

FARMAKOLOGIESE KLASSIFIKASIE:
A 13.3 Oppervlakte Verdowingsmiddels.

FARMAKOLOGIESE WERKING:
Naeltjie-olie dien as 'n oppervlakte verdowings-middel sowel as 'n krampwerende en windafdrywende middel.

INDIKASIES:
Vir die verligting van tandpyn en winderige koliek.

KONTRA-INDIKASIES:
Sensitiwiteit vir die middel.

DOSIS EN GEBRUIKSAANWYSINGS:
Vir tandpyn
Wend 'n paar druppels aan 'n stukkie watte en stop dit in die aangetaste tand.
Vir winderigheid en koliek
0,05 ml tot 0,2 ml (3 tot 5 druppels) op suiker.

NEWE-EFFEKTE EN SPESIALE VOORSORGMAATREËLS:
Geen bekend, indien gebruik soos voorgeskryf.

BEKENDE SIMPTOME VAN OORDOSERING EN BESONDERHEDE VAN DIE BEHANDELING DAARVAN:
Oormatige dosisse irriteer die maagdermkanaal, en kan naarheid, vomering en diaree veroorsaak. Daar kom nou en dan irritasie van die urienweg voor, asook verergering van bestaande inflammatoriese toestande. Die sentrale senuweestelsel kan of onderdruk word, wat na stupor of respiratoriese versaking kan lei, of gestimuleer word, wat opgewondenheid en konvulsies veroorsaak. By akute vergiftiging, moet die maag geledig word deur emesie en spoeling. 'n Salienpurgatief kan toegedien word, soos natriumsulfaat (30 g in 250 ml water) tensy katarsis al teenwoordig is. Demulsente dranke kan gegee word. Groot volumes vloeistof moet toegedien word, op voorwaarde dat die nierfunksie toereikend is.

IDENTIFIKASIE:
'n Kleurlose of liggeel vloeistof.

AANBIEDING:
Verpakkings van 5 ml en 20 ml.
Nie alle verpakkings en pakgroottes word noodwendig bemark nie.

BERGINGSAANWYSINGS:
Bêre teen of benede 25 °C.
HOU BUITE BEREIK VAN KINDERS.

VERWYSINGSNOMMER:
G1486 (Wet 101/1965)

NAAM EN BESIGHEIDSADRES VAN DIE APPLIKANT:
Pharmacare Limited
Healthcare Park
Woodlands Drive
Woodmead 2191

DATUM VAN PUBLIKASIE VAN HIERDIE VOUBILJET:
26 November 1974