Package Insert (incorporated in label)

Mycota Powder contains two anti-fungal agents that kill the fungi responsible for athletes foot and other fungal infections of the skin. Mycota Powder can be used in conjunction with Mycota Cream and Spray. DIRECTIONS: Wash and thoroughly dry the affected area and liberally sprinkle on Mycota Powder paying particular attention to areas between the toes. Use morning and night. Treatment should be continued for at least one week after all evidence of infection has disappeared. PREVENTION: Mycota Powder may be dusted into the socks or applied freely to the feet each day after they have been carefully washed and dried. FOR EXTERNAL USE ONLY. TREATMENT IS SYMPTOMATIC WHEN ACCIDENTALLY INGESTED. KEEP OUT OF REACH OF CHILDREN. STORE BELOW 25°C. Mycota Powder bevat twee swambestrydende middels wat die swamme dood wat verantwoordelik is vir voetskimmel en ander swaminfeksies van die vel. Mycota Powder kan saam met Mycota Cream en Spray gebruik word. GEBRUIKSAANWYSINGS: Was die aangetaste dele deeglik en besprinkel vrylik met Mycota Powder, met spesifieke aandag aan die veloppervlaktes tussen die tone. Gebruik elke oggend en aand. Hou vol met die behandeling vir 'n week nadat alle aanduidings van infeksies reeds verdwyn het. VOORKOMING: Mycota Powder kan elke dag gebruik word. Sprinkel dit vrylik oor voete of in sokkies nadat die voete deeglik gewas en afgedroog is. SLEGS VIR UITWENDIGE GEBRUIK. BEHANDEL SIMPTOMATIES WANNEER PER ABUIS INGENEEM. HOU BUITE BEREIK VAN KINDERS. BEWAAR BENEDE 25°C. 50 g	Zinc undecenoate 200 mg/g, undecenoic acid 20 mg/g Sinkundesenooat 200 mg/g, undesenoësuur 20 mg/g G1684 (Wet/Act 101/1965) S0 MYCOTA POWDER For the treatment and prevention of Athlete's foot Vir die behandeling en voorkoming van voetskimmel. Reckitt Benckiser Healthcare (SA) (Pty) Ltd 8 Jet Park Road Elandsfontein 1406

Please note: The Batch number and Expiry Date are placed onto the bottom of the tin during the packaging process.