SCHEDULING STATUS: S2

PROPRIETARY NAME: **ADCO-BIOHIST LOTION**
(AND DOSAGE FORM) **(LOTION)**

COMPOSITION:

Each 1 ml contains:

Diphenhydramine hydrochloride	10 mg
Zinc oxide	50 mg
Calamine	150 mg
Phenol	4 mg

PHARMACOLOGICAL CLASSIFICATION:

A 13.4.2 Dermatological preparations. Other

PHARMACOLOGICAL ACTION:

ADCO-BIOHIST LOTION has local anaesthetic, antihistaminic, mild astringent and antiseptic properties.

INDICATIONS:

Eczema, infected skin sores, itching, insect bites, sunburn and psoriasis (a skin disease with raised, rough scaly areas).

CONTRAINDICATIONS:

Hypersensitivity to any of the ingredients.
Should not be used for acute vesicular and exudative skin disease due to an increased risk of allergic reactions.

DOSAGE AND DIRECTIONS FOR USE:

Apply to affected areas three times daily or when necessary.

SIDE EFFECTS AND SPECIAL PRECAUTIONS:

Diphenhydramine hydrochloride may produce allergic reactions.
Light sensitivity has been reported.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:

Systemic side effects have been reported after application of diphenhydramine hydrochloride to large areas of the skin. Treatment of overdosage is symptomatic and supportive.

IDENTIFICATION:

Thick, pink suspension with a weak phenolic odour.

PRESENTATION:

Bottles containing 100 ml.

STORAGE INSTRUCTIONS:

Store below 25 °C.

KEEP OUT OF REACH OF CHILDREN.

REFERENCE NUMBER:

G 2011 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF THE APPLICANT:

Adcock Ingram Limited
1 New Road
Erand Gardens
Midrand,1685
Private Bag X69
Bryanston, 2021
www.adcock.co.za

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

18 November 1974

SKEDULERINGSTATUS: **S2**

EIENDOMSNAAM: **ADCO-BIOHIST LOTION**

(EN DOSEERVORM): **(VLOEIROOM**)

SAMESTELLING:

local anaesthetic, antihistaminic, mild astringent and antiseptic properties.

FARMAKOLOGIESE KLASSIFIKASIE:

A 13.4.2 Velpreparate. Ander

FARMAKOLOGIESE WERKING:

ADCO-BIOHIST LOTION het lokaalverdowende, antihistamien, ligte saamtrekkende en antiseptiese eienskappe.

INDIKASIES:

Ekseem, geïnfekteerde velsere, jeuk, insekbyte, sonbrand en psoriase ('n velsiekte met growwe, skilferige oppervlaktes).

KONTRA-INDIKASIES:

Hipersensitiwiteit vir enige van die bestanddele.

Moenie by akute vesikulêre en eksudatiewe velsiektes gebruik word nie, weens 'n verhoogde risiko van allergiese reaksies.

DOSIS EN GEBRUIKSAANWYSINGS:

Wend aan aangetaste dele driemaal per dag of wanneer nodig.

NEWE-EFFEKTE EN SPESIALE VOORSORGMAATREËLS:

Difenhidramienhidrochloried kan allergiese reaksies veroorsaak.

Ligsensitiwiteit is aangemeld.

BEKENDE SIMPTOME VAN OORDOSERING EN BESONDERHEDE VAN DIE BEHANDELING DAARVAN:

Die voorkoms van sistemiese newe-effekte is aangemeld nadat difenhidramien op groot veloppervlaktes aangewend is. Behandeling van oordosering is simptomaties en ondersteunend.

IDENTIFIKASIE:

Dik, pienk suspensie met 'n flou fenoliese reuk.

AANBIEDING:

Bottels met 100 ml.

BERGINGSAANWYSINGS:

Bêre benede 25 °C.

HOU BUITE BEREIK VAN KINDERS.

VERWYSINGSNOMMER:

G 2011 (Wet 101/1965)

NAAM EN BESIGHEIDSADRES VAN DIE APPLIKANT:

Adcock Ingram Limited

1 New Road

Erand Gardens

Midrand,1685

Private Bag X69

Bryanston, 2021

www.adcock.co.za

DATUM VAN PUBLIKASIE VAN HIERDIE VOUBILJET:

18 November 1974