PACKAGE INSERT

SCHEDULING STATUS

S2

PROPRIETARY NAME AND DOSAGE FORM

Wart Magic liquid

COMPOSITION

Each 5 ml contains:

Podophyllin 0.75 g

Salicylic acid 0.5 g

Benzoin tincture compound to 5 ml

Excipients:

None

PHARMACOLOGICAL CLASSIFICATION

A 13.8 Keratolytics

PHARMACOLOGICAL ACTION

Wart Magic has antimitotic, keratolytic and antiseptic properties.

INDICATIONS

Topical treatment of warts and venereal warts, corns and callouses.

CONTRA-INDICATIONS

Hypersensitivity to any of the ingredients.

WARNINGS and SPECIAL PRECAUTIONS

Wart Magic is extremely caustic to healthy skin and care must be exercised to apply only on the affected area. If any pain or inflammation is experienced during treatment application must be stopped. USE UNDER MEDICAL SUPERVISION.

DOSAGE AND DIRECTIONS FOR USE

Apply to wart or corn at night. Allow to dry. Remove by washing with soap and water in the morning. Repeat the process for 4 to 5 days and repeat if required a week later

WARNING: Do not apply to healthy skin

SIDE-EFFECTS

None known

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT

None known

IDENTIFICATION

Dark brown liquid

PRESENTATION

7 ml liquid in 10 ml amber glass bottle

STORAGE INSTRUCTIONS

Keep well-closed at or below 30°C

KEEP OUT OF REACH OF CHILDREN

REFERENCE NUMBER

G1995 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF THE HOLDER OF THE CERTIFICATE OF REGISTRATION

Ascendis Pharma (Pty) Ltd

31 Georgian Crescent East

Bryanston

2191

DATE OF PUBLICATION OF THE PACKAGE INSERT

December 1974

Date of the most recently revised package insert as approved by Council:

2 February 2015