1.3.1.1 PROFESSIONAL INFORMATION FOR MEDICINES FOR HUMAN USE

SCHEDULING STATUS:

S0

PROPRIETARY NAME:

JAMAIKA GEMMER (Solution)

COMPOSITION:

Each ml contains the alcoholic extractives of:

Ginger	0,5 g
Ethanol (100 %)	84,00 % *v/v*

SUGAR FREE

PHARMACOLOGICAL CLASSIFICATION:

A - 11.2 : Gastro-intestinal antispasmodics and cholinolytics (anti-cholinergics).

PHARMACOLOGICAL ACTION:

Carminative.

INDICATIONS:

Jamaika Gemmer is indicated for use in the treatment of colic, winds, pains in the stomach and indigestion.

CONTRA-INDICATIONS:

NOT FOR USE IN CHILDREN.

WARNINGS:

This product contains a high percentage of alcohol.

DOSAGE AND DIRECTIONS FOR USE:

Five to ten drops in a little water three or four times a day.

SIDE-EFFECTS AND SPECIAL PRECAUTIONS:

Large doses of the product may produce gastro-intestinal irritation, nausea, vomiting and diarrhoea. There may be occasional irritation of the urinary tract and aggravation of pre-existing inflammatory conditions.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:

The central nervous system may either be depressed, leading to respiratory failure and stupor, or stimulated, leading to excitement and convulsions. In acute poisoning, the stomach should be emptied by aspiration and lavage. A saline purgative such as sodium sulphate (30 g in 250 ml in water) can be given, unless catharsis is already present. Demulcent drinks may be given. Large volumes of fluid should be given provided renal function is adequate.

IDENTIFICATION:

A brown light liquid.

PRESENTATION:

Clear PVC bottles of 20 ml.

STORAGE INSTRUCTIONS:

Store at or below 25°C.

Keep container tightly closed.

KEEP OUT OF REACH OF CHILDREN.

APPLICATION NUMBER:

E1953 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF APPLICANT:

PHARMACARE LIMITED

Healthcare Park

Woodlands Drive

Woodmead 2191

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

15 August 2008

ZA_JAMGEMSOL_0808_00