SOUTH AFRICAN PROFESSIONAL INFORMATION FOR MEDICINES FOR HUMAN USE

SCHEDULING STATUS

S0

PROPRIETARY NAME AND DOSAGE FORM

ASHTON AND PARSONS INFANT POWDERS

COMPOSITION

Each individually wrapped powder contains 4,055 mg Tincture Matricaria Duplex

Excipients:

Lactose monohydrate, magnesium stearate

Contains sugar: Lactose monohydrate 259,62 mg

CATEGORY AND CLASS

A 11 Medicines acting on gastrointestinal tract

PHARMACOLOGICAL ACTION

Pharmacodynamic properties

The Tincture Matricaria relieves the symptoms of mild stomach upsets and mild indigestion associated with teething.

INDICATIONS

For children teething and for slight stomach ailments occurring in infancy.

CONTRAINDICATIONS

Not to be given to a baby known to be intolerant to lactose. This is a rare condition (see WARNINGS AND SPECIAL PRECAUTIONS).

WARNINGS AND SPECIAL PRECAUTIONS

Not known.

Excipients

ASHTON AND PARSONS INFANT POWDERS contains lactose which may have an effect on the glycaemic control of patients with diabetes mellitus.

Patients with the rare hereditary conditions of galactose intolerance e.g. galactosaemia, Lapp lactase deficiency, glucose-galactose malabsorption or fructose intolerance should not take ASHTON AND PARSONS INFANT POWDERS.

INTERACTIONS

Not known.

HUMAN REPRODUCTION

Not known.

DOSAGE AND DIRECTIONS FOR USE

One powder to be given dry on the tongue, night and morning.

When the child is very restless, fretful or feverish, the dose can be repeated every one, two or three hours if necessary until the condition is improved.

SIDE EFFECTS

Not known.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENTS

No risk of overdosage.

IDENTIFICATION

A fine white crystalline powder free from visible foreign matter.

PRESENTATION

1 individually wrapped powder is folded in printed wrapper paper.

20 Powders are packed in a cardboard carton with a leaflet.

STORAGE INSTRUCTIONS

Store at or below 25 °C in a dry place.

Keep in original packaging until required for use.

KEEP OUT OF REACH OF CHILDREN.

REGISTRATION NUMBER

E679 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF THE APPLICANT

PHARMACARE LIMITED

Healthcare Park

Woodlands Drive

Woodmead 2191

DATE OF PUBLICATION OF THE PROFESSIONAL INFORMATION FOR MEDICINES FOR HUMAN USE

Date of registration: Old medicine

Date of the most recent amendment to the professional information as approved by the Authority: 25 January 1974

Botswana: B9304510 S3

Namibia: NS0 14/32.2/0545

ZA_ASHPPWD_7401_01

SUID AFRIKANSE PROFESSIONELE INLIGTING VIR MEDISYNE VIR MENSLIKE GEBRUIK

SKEDULERINGSTATUS

S0

EIENDOMSNAAM EN DOSEERVORM

ASHTON AND PARSONS INFANT POWDERS (poeier)

SAMESTELLING

Elke individuele toegedraaide poeier bevat 4,055 mg Matricariatinktuur Dupleks

Eksipiënte:

Laktosemonohidraat, magnesiumstearaat

Bevat suiker: Laktosemonohidraat 259,62 mg

KATEGORIE EN KLAS

A 11 Medisyne wat op die gastroïntestinale kanaal inwerk

FARMAKOLOGIESE WERKING

Farmakodinamiese eienskappe

Die Matricariatinktuur verlig die simptome van ligte maag ongesteldhede en ligte slegte spysvertering wat verband hou met tandekry.

INDIKASIES

Vir kinders wat tandekry en vir geringe maagkwale wat by babas voorkom.

KONTRA-INDIKASIES

Moenie gegee word aan ’n baba wat bekend is om onverdraagsaam te wees vir laktose nie. Hierdie is ’n seldsame toestand (sien WAARSKUWINGS EN SPESIALE VOORSORGMAATREËLS).

WAARSKUWINGS EN SPESIALE VOORSORGMAATREËLS

Onbekend.

Eksipiënte

ASHTON AND PARSONS INFANT POWDERS bevat laktose wat ’n effek op die glisemiese beheer van pasiënte met diabetes mellitus kan hê.

Pasiënte met die seldsame oorerflike toestande van galaktose onverdraagsaamheid bv. galaktosemie, die Lapp-laktasetekort, glukose-galaktose wanabsorpsie of fruktose onverdraagsaamheid moenie ASHTON AND PARSONS INFANT POWDERS neem nie.

INTERAKSIES

Onbekend.

MENSLIKE VOORTPLANTING

Onbekend.

DOSIS EN GEBRUIKSAANWYSINGS

Een poeier word saans en soggens droog op die tong gegee.

Wanneer die kind baie rusteloos, knieserig of koorsig is, kan die dosis elke een, twee of drie ure, indien nodig, herhaal word, totdat die toestand verbeter het.

NEWE-EFFEKTE

Onbekend.

BEKENDE SIMPTOME VAN OORDOSERING EN BESONDERHEDE VAN DIE BEHANDELINGS DAARVAN

Geen risiko vir oordosering nie.

IDENTIFIKASIE

'n Fyn, wit, kristallyne poeier, vry van enige sigbare vreemde stowwe.

AANBIEDING

1 individueel toegedraaide poeier word toegevou in gedrukte toedraai papier.

20 Poeiers word verpak in 'n kartonhouer met 'n voubiljet.

BERGINGSAANWYSINGS

Bêre teen of benede 25 °C op 'n droë plek.

Hou in die oorspronklike verpakking totdat dit benodig word vir gebruik.

HOU BUITE BEREIK VAN KINDERS.

REGISTRASIENOMMER

E679 (Wet 101/1965)

NAAM EN BESIGHEIDSADRES VAN DIE APPLIKANT

PHARMACARE LIMITED

Healthcare Park

Woodlandsrylaan

Woodmead 2191

DATUM VAN PUBLIKASIE VAN DIE PROFESSIONELE INLIGTING VIR MEDISYNE VIR MENSLIKE GEBRUIK

Datum van registrasie: Ou medisyne

Datum van mees onlangse wysiging tot die professionele inligting soos goedgekeur deur die Gesag: 25 Januarie 1974

Botswana: B9304510 S3

Namibië: NS0 14/32.2/0545

ZA_ASHPPWD_7401_01