Proprietary name:

Peaceful Sleep Insect Repellent Aerosol

Composition:

Each 150 g contains 22,5 g diethyl toluamide as active ingredient.

Pharmacological classification:

No. 34 Insect Repellent

Indications:

Peaceful Sleep Mosquito Repellent is used for personal protection against the bites of mosquitoes, fleas and flies. Peaceful Sleep is clean, non-greasy and resistant to perspiration.

Contra-Indications:

Hypersensitivity to diethyl toluamide has been reported.

Warnings and Storage Instructions:

Do not spray onto the face.
Keep away from eyes, lips, mucous membranes, broken skin and areas of skin flexion.
Inflammable, do not spray near open flame or while smoking. Contents under pressure. Do not expose container to temperature above 50 ºC e.g. direct sunlight, near stove or radiator.
Do not puncture or incinerate can.
KEEP OUT OF REACH OF CHILDREN.
Store below 25 ºC.

Side effects and special precautions:

Hypersensitivity has been reported.
Do not spray on artificial fabrics.
Harmful to some furniture finishes, plastics, rubber, asphalt and painted surfaces. Store and convey in a place where accidental leakage will not contaminate clothes or other valuables.

Dosage and Directions for use:

Peaceful Sleep is not sprayed in the air. It is applied to the skin. Repels mosquitoes and other insects for up to 8 hours:

a) FACE: Do not spray onto the face. Spray onto the palm of the hand and smooth onto the face and back of the neck. Keep away from eyes and lips.
b) BODY: Hold can 15-25 cm away and spray to moisten skin lightly. Not necessary to wet excessively.
c) TICKS AND FLEAS: Spray onto trouser turn-ups and socks. Do not spray on artificial fabrics.

Known symptoms of overdose and particulars of its treatment:

In case of accidental ingestion treatment is symptomatic and supportive.

Registration number (or reference number)

Application Number L687 (Act 101 of 1965)

Applicant

Tiger Consumer Brands
2 Purlin Street
Isando, Kempton Park
1600

Coding:

Batch number, date of manufacture and expiry date printed on base of container.

Bar Code

General Information

PROTECT YOURSELF FROM MALARIA.

The distribution of Malaria in Southern Africa is spreading, with certain areas in South Africa identified as a risk area.

- Inhabitants of high risk areas are advised to take prophylactic medicines from October to May each year (speak to your doctor about the medicines available).

- Inhabitants of high and low risk areas should use electric mosquito killers, mosquito nets, etc.

- When travelling to a mosquito risk area, ensure that you take prophylactic medicines in advance.

- Holidaymakers are advised to take repellents such as sprays, sticks or lotions, and electric mosquito killers into risk areas.

- If you or any member of your family may have been exposed to malaria and display malaria symptoms (including night sweats, nausea, fever) or require additional information about malaria, consult a medical specialist.