FINAL ENGLISH PACKAGE INSERT

SCHEDULING STATUS:

S0

PROPRIETARY NAME:

BRUINDULSIES (Solution)

COMPOSITION:

Each 5 ml contains:

Potassium acetate	100 mg
Ethanol (100%)	14,45% v/v

PHARMACOLOGICAL CLASSIFICATION:

A18.3 Medicines acting on the Genito-urinary system.

PHARMACOLOGICAL ACTION:

Potassium acetate has a mild diuretic effect, and acts as an alkaliniser.

INDICATIONS:

Bruindulsies is traditionally used for the relief of minor kidney and bladder complaints.

CONTRA-INDICATIONS:

Patients on potassium-sparing diuretics.

WARNINGS:

This product contains a high percentage of alcohol.

DOSAGE AND DIRECTIONS FOR USE:

Adults: 15 to 30 drops (1 - 2 ml) three or four times daily in water, wine or milk.

Children: 10 to 15 drops (0,5 - 1,0 ml) three or four times daily in water or milk.

SIDE-EFFECTS AND SPECIAL PRECAUTIONS:

Bruindulsies should be administered with caution to patients with renal or adrenal insufficiency.

Large doses may cause hyperkalaemia.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:

Hyperkalaemia may occur after excessive doses. The use of the medicine must be stopped and the doctor is to be contacted. Treatment of acute poisoning with alcohol should include hydration with intravenous fluids, control of nausea and vomiting, and correction of electrolyte imbalances, such as hypomagnesaemia. Protection of the airway is crucial and ventilation may be required in cases of respiratory depression.

IDENTIFICATION:

A dark-brown, clear liquid.

PRESENTATION:

Clear PVC bottles of 20 ml.

STORAGE INSTRUCTIONS:

Store below 25 °C, in an airtight container.

KEEP OUT OF REACH OF CHILDREN

APPLICATION NUMBER:

H1627 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF APPLICANT:

Pharmacare Limited

Building 12

Healthcare Park

Woodlands Drive

Woodmead

Sandton

2148

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

19 October 2007

ZA_BRUISOL_0710_00