FINAL ENGLISH PACKAGE INSERT

SCHEDULING STATUS:

S0 P(Zimbabwe)

PROPRIETARY NAME:

TURLINGTON (Tincture)

COMPOSITION:

Each 5 ml contains the alcoholic extractive of:

Benzoin	0,500 g
Prepared storax	0,375 g
Tolu balsam	0,125 g
Aloes	0,100 g
Ethanol (100%)	76,06% v/v

PHARMACOLOGICAL CLASSIFICATION:

A - 10.2.1: Inhalants.

PHARMACOLOGICAL ACTION:

TURLINGTON is used as a stimulant expectorant due to the action of benzoin, tolu balsam and storax.

TURLINGTON exercises antiseptic and styptic properties when applied to the skin.

INDICATIONS:

Symptomatic treatment of coughs and chronic bronchitis. As an antiseptic styptic when applied undiluted to small cuts and scratches.

CONTRA-INDICATIONS:

NOT FOR USE IN CHILDREN.

WARNINGS:

This product contains a high percentage of alcohol.

DOSAGE AND DIRECTIONS FOR USE:

As an expectorant

Half to one medicine measure (2,5 - 5 ml) two or three times daily. Since Turlington cannot be mixed with other liquids, it is usually taken with sugar or egg yolk.

As a styptic

Apply a few drops to the cut or wound.

SIDE-EFFECTS AND SPECIAL PRECAUTIONS:

May occasionally cause dermatitis.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS

TREATMENT:

See “Side-effects and Special Precautions”.

IDENTIFICATION:

Dark brown liquid.

PRESENTATION:

Bottles of 20 ml.

STORAGE INSTRUCTIONS:

Store below 25ºC.

KEEP OUT OF REACH OF CHILDREN

APPLICATION NUMBER:

G540 (Act 101/1965)

NAME AND BUSINESS ADDRESS OF THE APPLICANT:

Pharmacare Limited

Building 12

Healthcare Park

Woodlands Drive

Woodmead

Sandton

2148

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

27 June 2008

ZA_TURLTNC_0710_00