SKEDULERINGSTATUS: S0

EIENDOMSNAAM EN DOSEERVORM:

LINOTAR GEL 1 Emulsie

SAMESTELLING:
LINOTAR GEL 1 bevat 1 g koolteer per 100 g
Preserveermiddels:
Natrium Propielparabeen: 0.05 % m/m
Metielparabeen: 0.1 % m/m
Anti-oksidant:
Vitamien E: 0.3 % m/m

FARMAKOLOGIESE KLASSIFIKASIE:
A 13.9.1 Voorbereidings vir psoriase

FARMAKOLOGIESE WERKING:
Koolteer het 'n anti-jeuk effek.

INDIKASIES:
LINOTAR GEL 1 word gebruik vir:
- Die verligting en behandeling van PSORIASE van die vel en kopvel.
- Die verligting en behandeling van EKSEMATEUSE vel en kopvel toestande.
- Die verligting van die simptome van KOORSBLARE.

KONTRA-INDIKASIES:
Sensitiwiteit of allergie vir koolteer. Moet nie op ernstige geïnflameerde of stukkende vel gebruik nie.

WAARSKUWINGS EN SPESIALE VOORSORGMAATREËLS:
Slegs vir uitwendige gebruik. Moet hierdie produk nie in of om die rektum of geslagsdele of lies gebruik nie. Vermy kontak met die oë. Waar dit per ongeluk met die oë in aanraking kom, spoel die oë uit met water.

Spesiale Voorsorgmaatreëls:
Koolteer kan die fotosensitiwiteit van die vel verhoog en blootstelling aan direkte sonlig na aanwending van **LINOTAR GEL 1** moet vermy word.

DOSIS EN GEBRUIKSAANWYSINGS:
Ten einde doeltreffende penetrasie van **LINOTAR GEL 1** te verseker, maak oppervlakte eers deeglik skoon. Smeer 'n dun lagie **LINOTAR GEL 1** twee tot drie maal per dag aan. Masseer liggies in en laat droog word.

NEWE-EFFEKTE:
Koolteer kan irritasie of akneeagtige uitslag van die vel veroorsaak. Indien wel, staak behandeling en raadpleeg 'n geneesheer.

BEKENDE SIMPTOME VAN OORDOSERING EN BESONDERHEDE VAN BEHANDELING DAARVAN:
Sien **WAARSKUWINGS EN SPESIALE VOORSORGMAATREËLS** en **NEWE-EFFEKTE.** Behandeling is simptomaties en ondersteunend.

IDENTIFIKASIE:
'n Gladde mostertkleurige emulsie.

AANBIEDING:
Polietileen bottels wat elk 250 ml **LINOTAR GEL 1** bevat.

BERGINGSAANWYSINGS:
Bewaar by of benede 25 °C.
HOU BUITE DIE BEREIK VAN KINDERS.

REGISTRASIENOMMER:
A 27/13.9.1/0357

NAAM EN BESIGHEIDSADRES VAN DIE HOUER VAN DIE SERTIFIKAAT VAN REGISTRASIE:
MeyerZall Laboratories (Pty) Ltd
2de Vloer
Mitchellstraat 121
George 6529

DATUM VAN PUBLIKASIE

Julie 2015

LINGEL1/PI/A
Pro-Print

SCHEDULING STATUS: S0

PROPRIETARY NAME AND DOSAGE FORM:

LINOTAR GEL 1 Emulsion

COMPOSITION:
LINOTAR GEL 1 contains 1 g Coal Tar per 100 g
Preservatives:
Sodium Propyl Paraben: 0.05 % m/m
Methyl Paraben: 0.1 % m/m
Anti-oxidant:
Vitamin E: 0.3 % m/m

PHARMACOLOGICAL CLASSIFICATION:
A 13.9.1 Preparations for psoriasis

PHARMACOLOGICAL ACTION:
Coal Tar is an anti-pruritic.

INDICATIONS:
LINOTAR GEL 1 is used for:
- The relief and treatment of PSORIASIS of the skin and scalp.
- The relief and treatment of ECZEMATOUS conditions of the skin and scalp.
- The relief of the symptoms of COLD SORES.

CONTRA-INDICATIONS:
Coal Tar sensitivity or allergy. Do not use on highly inflamed or broken skin.

WARNINGS AND SPECIAL PRECAUTIONS:
For external use only. Do not use this product in or around the rectum or genital area or groin. Avoid contact with the eyes. Upon accidental contact, flush eyes with water.

Special Precautions:
Coal Tar can enhance photosensitivity of the skin, and exposure to direct sunlight after application of **LINOTAR GEL 1** should be avoided.

DOSAGE AND DIRECTIONS FOR USE:
To ensure adequate penetration of **LINOTAR GEL 1**, make sure the lesions are clean. Apply a thin layer of **LINOTAR GEL 1** two to three times a day. Massage gently and leave to dry.

SIDE EFFECTS:
Coal Tar may cause skin irritation or acne-like eruptions of the skin. If irritation occurs, discontinue use and consult a doctor.

KNOWN SYMPTOMS OF OVERDOSAGE AND PARTICULARS OF ITS TREATMENT:
See **WARNINGS AND SPECIAL PRECAUTIONS AND SIDE EFFECTS.** Treatment is symptomatic and supportive.

IDENTIFICATION:
A smooth mustard coloured emulsion.

PRESENTATION:
Polyethylene squeeze bottles containing 250 ml of **LINOTAR GEL 1.**

STORAGE INSTRUCTIONS:
Store at or below 25 °C
KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER:
A 27/13.9.1/0357

NAME AND BUSINESS ADDRESS OF THE HOLDER OF THE CERTIFICATE OF REGISTRATION:
MeyerZall Laboratories (Pty) Ltd
2nd Floor
121 Mitchell Street
George 6529

DATE OF PUBLICATION;
July 2015

LINGEL1/PI/A