Professional Information

SCHEDULING STATUS:

S0

PROPRIETARY NAME AND DOSAGE FORM:

Andolex Throat Lollies (Sweet)

COMPOSITION:

Each Throat Lolly contains:

Cetylpyridinium chloride:	3 mg

Contains sugar:

Sucrose	37.45 %w/w
Liquid glucose	29.93 % w/w

Excipients: carmoisine, citric acid monohydrate, raspberry flavour.

PHARMACOLOGICAL CLASSIFICATION:

A 16.4 Naso-pharyngeal and bucco-pharyngeal antiseptics.

PHARMACOLOGICAL ACTION:

Antiseptic and anti-bacterial.

INDICATIONS:

For the relief of tonsillitis, laryngitis and certain mouth and gum infections.

CONTRAINDICATIONS:

If sore throat or cough is severe or persists - or in cases of high temperature, headache or nausea, your doctor should be

consulted.

Hypersensitivity to any of the ingredients.

WARNINGS and SPECIAL PRECAUTIONS:

In the case of infants it is recommended that the lolly be given under continuous supervision.

INTERACTIONS:

No known interactions.

PREGNANCY AND LACTATION:

Safety in pregnancy and lactation has not been established.

DOSAGE AND DIRECTIONS FOR USE:

Dose: One lolly to be sucked every three hours, and allowed to dissolve slowly in the mouth for maximum effect.

SIDE EFFECTS:

In the case of infants it is recommended that the lolly be given under continuous supervision.

KNOWN SYMPTOMS OF OVERDOSE AND PARTICULARS OF ITS TREATMENT:

Know known data available on the symptoms of overdose.

IDENTIFICATION:

Pink, boiled lolly with raspberry flavour, on a paper composition stick, individually wrapped.

PRESENTATION

10 Lollies, individually wrapped, sealed in an aluminium bag, in a cardboard carton.

STORAGE INSTRUCTIONS

Store below 25°C and away from light.

KEEP OUT OF REACH OF CHILDREN.

REFERENCE NUMBER

H1541 (Act 101/1965)

NAME AND ADDRESS OF THE APPLICANT

iNova Pharmaceuticals (Pty) Ltd

15E Riley Road

Bedfordview

2007

DATE OF PUBLICATION OF THIS PACKAGE INSERT:

Original date of submission: 7 February 1975

Revised package insert approval: 3 March 2006