Patient Information Leaflet for Human Medicines

SCHEDULING STATUS

S1

POUR SODIUM CHLORIDE 0,9 % B. BRAUN

Active substance: Sodium chloride

Read all of this leaflet carefully before you start are given

POUR SODIUM CHLORIDE 0,9 % B. BRAUN

- Keep this leaflet. You may need to read it again.

- If you have further questions, please ask your doctor, pharmacist, nurse or other health care provider.

- **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** has been prescribed for you personally and you should not share your medicine with other people. It may harm them, even if their symptoms are the same as yours.

What is in this leaflet

1: What **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** is and what it is used for

2: What you need to know before you use **POUR SALINE B BRAUN**

3: How to use **POUR SODIUM CHLORIDE 0,9 % B. BRAUN**

4: Possible side effects

5: How to store **POUR SODIUM CHLORIDE 0,9 % B. BRAUN**

6: Contents of the pack and other information

1: What POUR SODIUM CHLORIDE 0,9 % B. BRAUN is and what it is used for

Your doctor or nurse will use **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** is during surgical procedures for cleansing of tissues, body cavities, wounds or irrigation of a special tube called a catheter which is used to drain your bladder and has been designed to be left in place for a prolonged period of time.

2: What you need to know before you use POUR SODIUM CHLORIDE 0,9 % B. BRAUN

Do not use **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** If your hypersensitive to Sodium chloride and Water for injection. There are no known conditions or diseases that preclude the use of **POUR SALINE B BRAUN**.

Warnings and Precautions

Take special care with **POUR SODIUM CHLORIDE 0,9 % B. BRAUN**

For external use only.

Not for use in radio frequency.

Solutions for bladder irrigation should be used with caution in patients with severe heart, lung and kidney problems.

POUR SODIUM CHLORIDE 0,9 % B. BRAUN should be used with caution in patients with high blood pressure, heart failure, kidney failure or other conditions associated with sodium retention.

POUR SODIUM CHLORIDE 0,9 % B. BRAUN. should not be used to produce vomiting; this practice is dangerous and deaths from resulting to have too much sodium in the blood.

Other medicines and POUR SODIUM CHLORIDE 0,9 % B. BRAUN

Always tell your healthcare provider if you are taking any other medicines, including medicines obtained without a prescription (This includes all complementary or traditional medicines).

No interactions with other medicines are known.

Pregnancy and breast-feeding and fertility

Before being treated with **POUR SALINE B BRAUN,** please tell your doctor if you think you could be pregnant, or that you are breast feeding.

Fertility:

No data available.

Driving and using machines

POUR SODIUM CHLORIDE 0,9 % B. BRAUN has no influence on the ability to drive and use machines.

3: How to use POUR SODIUM CHLORIDE 0,9 % B. BRAUN

Do not share medicines prescribed for you with any other person.

Use POUR SODIUM CHLORIDE 0,9 % B. BRAUN exactly as your doctor had told you.

Check with your doctor or pharmacist if you not sure.

POUR SODIUM CHLORIDE 0,9 % B. BRAUN will be given to you by a doctor or a nurse.

Your doctor or nurse will normally use the irrigation to wash and clean body cavities, tissues or wounds.

It is for external use only and should not be injected or swallowed.

Your doctor will tell you how long your treatment with **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** will last **.** Do not stop treatment early because you feel better. If you have the impression that the effect of **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** is too strong or too weak **,** tell your doctor or pharmacist .

Your doctor or nurse will decide how much of the irrigation to use which will be sufficient for your needs.

As the irrigation solution is sterile, your doctor or nurse will use a new solution each time.

If you are given this product to use at home it must be used as directed by your doctor or nurse. Use a new solution each time. Discard the unused portion.

If you take more POUR SODIUM CHLORIDE 0,9 % B. BRAUN than you should.

In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison centre. Since a health care provider will administer POUR **SODIUM CHLORIDE 0,9 % B. BRAUN,** he/ she will control dosage. However, in the event of over dosage your doctor will manage over dosage. If you have any further questions on the use of the medicine, ask your doctor or pharmacist.

4: POSSIBLE SIDE EFFECTS

POUR SODIUM CHLORIDE 0,9 % B. BRAUN can have Side effects.

Not all side effects reported for POUR SODIUM CHLORIDE 0,9 % B. BRAUN are included in this leaflet. Should your general health worsen or if you experience any untoward effects while taking POUR SODIUM CHLORIDE 0,9 % B. BRAUN , please consult your health care provider for advice.

However, when **POUR SODIUM CHLORIDE 0,9 % B. BRAUN is** used according to the Instructions and side effects are expected to occur – overhydration and excess fluid in lungs.

Reporting of side effects

If you get side effects. Talk to your doctor, or pharmacist or nurse. You can also report side effects to SAHPRA via 6.04 Adverse Drug Reaction Reporting Form found online under SAHPRAs publications: https://www.sahpra.org.za/Publications/index/8/. By reporting side effects, you can help provide more information on the safety of **POUR SODIUM CHLORIDE 0,9 % B. BRAUN.**

5: How to store POUR SODIUM CHLORIDE 0,9 % B. BRAUN

Your doctor or pharmacist is responsible for storing this medicine. They are also responsible for disposing of any unused medicine correctly.

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the Carton and label after “EXP”. The expiry date refers to the last day of that month.

Store at or below 25 °C.

This medicinal product is for single use only. After administration, the container and any remaining solution are to be discarded.

The solution should be inspected visually prior to use. Do not use **POUR SODIUM CHLORIDE 0,9 % B. BRAUN** If the solution is not clear and the container and seal are not intact.

6: Contents of the pack and other information

What POUR SODIUM CHLORIDE 0,9 % B. BRAUN Contains

The active substance of sodium chloride (saline solution) 1000 mℓ of the solution for injection contain 9,0 g of sodium chloride.

The other ingredient is:

Water for injections

Electrolyte concentrations:

Sodium: 154mmol/ ℓ

Chloride: 154mmol/ ℓ

What POUR SODIUM CHLORIDE 0,9 % B. BRAUN looks like and contents the pack

Clear colourless solution.

1 llitre polypropylene container enclosed container with red polyethylene cap.

Not all packs and pack sizes are necessarily marketed.

Holder of Certificate of Registration

B. Braun Medical (Pty) Ltd,

253 Aintree Road,

North Riding,

Gauteng,

South Africa, 2194.

Tel :+27 (010) 222 3000

Fax: +27 (010) 222 3133

This leaflet was revised in:

7 July 2021

Registration number

32/24/0563