SCHEDULING STATUS: S0

PROPPRIETARY NAME, STRENGTH AND DOSAGE FORM:
STREPSILS ORIGINAL LOZENGE
STREPSILS SOOTHING HONEY AND LEMON LOZENGE
2,4-dichlorobenzyl alcohol 1,2 mg and amylmetacresol 0,6 mg.

Read all of this leaflet carefully because it contains important information for you
STREPSILS ORIGINAL or STREPSILS SOOTHING HONEY AND LEMON is available without a doctor's prescription, for you to treat a mild illness. Nevertheless, you still need to take **STREPSILS ORIGINAL or STREPSILS SOOTHING HONEY AND LEMON** carefully to get the best results from it.
Keep this leaflet. You may need to read it again.
Do not share this medicine with any other person.
Ask your pharmacist if you need more information or advise.
You must see a doctor if your symptoms worsen or do not improve after 2 days.

1. WHAT STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON CONTAINS:

The active substances are Amylmetacresol 0,6 mg, 2,4 Dichlorobenzyl Alcohol 1,2 mg,
Other ingredients are
Strepsils original:
Carmosine edicol (E 122), liquid sucrose, liquid glucose, levomenthol, Ponceau 4R (E124), peppermint oil, star anise oil, tartaric acid.
Strepsils Soothing Honey & Lemon
Honey, liquid sucrose, liquid glucose, peppermint oil, Quinolene yellow (E104) terpeneless lemon oil, tartaric acid.
Contains sugar 2,5 g

2. WHAT STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON IS USED FOR:

STREPSILS ORIGINAL: is used for the relief of minor mouth and throat infections.
It is also used for the relief of coughs due to colds and allergies.
STREPSILS SOOTHING HONEY AND LEMON is used for relief of minor mouth and throat infections.

3. BEFORE YOU TAKE STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON:

Do not take this STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON :

- If you are hypersensitive allergic to (active substance) or any of the other ingredients of **STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON**
- Children under 6 years of age.

Taking other medicine with STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON:
***What should you avoid when you are taking this* STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON**
No known interactions.

Pregnancy and breast-feeding
If you are pregnant or breastfeeding your baby, please consult your doctor, pharmacist or other healthcare professional for advice before taking this medicine.
There are no or limited amount of data from the use of Amylmetacresol & 2, 4-dichlorobenzyl alcohol.
It is unknown whether 2, 4-dichlorobenzyl alcohol, Amylmetacresol or
metabolites are excreted in human milk.
Risk to the newborns / infants cannot be excluded.

Driving and using machinery:
Negligible influence
Taking other medicine with STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON:
Always tell your healthcare professional if you are taking any other medicine.

4. HOW TO TAKE STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON:

This medicine should not be taken by children below 6 years of age
Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist or nurse has told you. Check with your doctor or pharmacist or nurse if you are not sure.
Do not share medicines prescribed for you with any other person.

Unless otherwise prescribed by your doctor, the standard dose is:

Adults and children over 6 years

- The lowest effective dose should be used for the shortest duration necessary to relieve Symptoms.
- Dissolve one lozenge slowly in the mouth every 2 to 3 hours.
- Do not exceed 12 lozenges in any 24-hour period.

If you take more STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON than you should:

In the event of overdosage, consult your doctor or pharmacist. If neither is available, contact the nearest hospital or poison control centre.
In the unlikely event of an overdose, serious side effects are not expected.
Some gastrointestinal discomfort may be experienced.

5. POSSIBLE SIDE EFFECTS:

STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON can have side effects

System Organ Class	Frequency	Adverse Events
Immune System Disorders	Not known	Hypersensitivity[ab]
Gastrointestinal Disorders	Not known	Abdominal pain[ab] , nausea[ab], oral discomfort[ab]
Skin and Subcutaneous Tissue Disorders	Not known	Rash[ab]

[a]2, 4-dichlorobenzyl alcolhol [b]amylmetacresol
Not all side effects reported for this medicine are included in this leaflet. Should your general health worsen while taking this medicine, please consult your doctor, pharmacist or other health care professional for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor or Pharmacist.

6. STORING AND DISPOSING OF STREPSILS ORIGINAL OR STREPSILS SOOTHING HONEY AND LEMON:

Store all medicines out of reach of children.
Store at or below 25°C
Do not use after the expiry date stated on the carton.
Return all unused medicine to your pharmacist.
Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets)

7. PRESENTATION

Strepsils Original: Cartons containing 24 blister packed lozenges
Strepsils Soothing Honey and Lemon: Cartons containing 2, 8, 10 or 24 blister packed lozenges

8. IDENTIFICATION:

Strepsils Original: A red circular lozenge with an odour predominantly of aniseed with a characteristic acid taste and the Strepsils brand icon intagliated on both sides
Strepsils Soothing Honey and Lemon:
A yellow, circular lozenge with a taste predominantly of honey and lemon and the Strepsils brand icon intagliated on both sides

9. REGISTRATION/REFERNCE NUMBER:

STREPSILS ORIGINAL: H1468 (ACT 101/1965)

STREPSILS SOOTHING HONEY AND LEMON: E/16.4/46

10. NAME, BUSINESS ADDRESS AND TELEPHONE NUMBER OF THE OF CERTIFICATE OF REGISTRATION:

Reckitt Benckiser Pharmaceuticals (Pty) Ltd
8 Jet Park Road
Elandsfontein
1601
+2711 871 1611

11. DATE OF PUBLICATION OF THIS PATIENT INFORMATION LEAFLET:

Date on the registration certificate:
Strepsils Soothing Honey and Lemon: 09 March 1972
Strepsils Original: Old Medicine
Date of the most recently revised patient information leaflet: 20 December 2019

Please go to the link for access to the corresponding PI: https://cpdcentre.co.za/product-inserts/Strepsils-Original-Soothing-Honey-Lemon.pdf

Strepsils Soothing Honey and Lemon	
Namibia	90/16.4/00470 (NS0)
Botswana	B9301950 (S4)
Zambia	133/019 (GS)
Zimbabwe	74/20.3.5/0274 (HR)

20.3.5 Antiseptic lozenges

Strepsils Original	
Botswana	B9301940
Namibia	02 1000306 NSO
Zimbabwe	77/20.3.5/842

SKEDULERINGSTATUS S0

EIENDOMSNAAM, STERKTE EN DOSEERVORM:
STREPSILS ORIGINAL SUIGTABLET
STREPSILS SOOTHING HONEY AND LEMON SUIGTABLET
2,4-dichloorbenzylalkohol 1,2 mg en amymetrakresol 0,6 mg.

Lees hierdie hele pamflet noukeurig deur want dit bevat belangrike inligting vir u
Hierdie Medisyne is beskikbaar sonder ’n voorskrif van ’n dokter, vir jou om matige siektes te behandel. Ongeag moet u steeds STREPSILS ORIGINAL of STREPSILS SOOTHING HONEY AND LEMON versigtig gebruik om die beste resultate daaruit te kry.

- Bewaar hierdie pamflet. Dit mag nodig wees om dit weer te lees.
- Moet nie hierdie medisyne met enige ander persoon deel nie.
- Vra u apteker indien u meer inligting of advies benodig.
- Sien u dokter indien u simptome vererger of na 2 dae nie verbeter nie.

1. WAT HIERDIE STREPSILS ORIGINAL OR STREPSILS HONEY AND LEMON BEVAT:

* Die aktiewe bestanddeel is Amielmetakresol 0,6 mg, 2,4 dichloorbensielalkohol 1,2 mg,
* Die ander bestanddele is

Strepsils original
Carmiosine edicol (E122). vloeibare sukrose, vloeibare glukose, levomenthol, Ponceau 4R (E124), pepermentolie, steranysolie, wynsteensuur.
Strepsils Soothing Honey and Lemon
Heuning, vloeibare sukrose, vloeibare glukose, pepermentolie, kinoliengeel (E104) terpenlose suurlemoenolie, wynsteensuur.
Bevat suiker 2,5 g

2. WAT STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON VOOR GEBRUIK WORD:

STREPSILS ORIGINAL word gebruik vir die verligting van geringe mond en keel infeksies.
Dit word ook gebruik vir die verligting van verkoue en allergieë.
STREPSILS SOOTHING HONEY AND LEMON word gebruik vir die verligting van geringe mond- en keelinfeksies.

3. VOOR JY STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON NEEM:

Moet nie hierdie medisyne neem:

- Indien u hipersensitief (allergies) is vir (aktiewe bestanddele) of enige van die ander bestanddele van **STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON** nie

- Kinders jonger as 6 jaar

Die neem van ander medisyne met **STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON:**
Vermy die volgende as u die medisyne neem
Geen bekende interaksies
Swangerskap en borsvoeding
Indien u swanger is of u baba borsvoed, raadpleeg u dokter, apteker of ander professionele gesondheidswerker vir advies voor die neem van hierdie medisyne.
Daar is geen of beperkte aantal data van die gebruik van Amielmetakresol & 2,4 dichloorbensielalkohol.
Dit is onbekend of 2,4 dichloorbensielalkohol, Amielmetakresol of
Metaboliete word uitgeskei in borsmelk.
Gevaar tot pasgebore babas / babas kan nie uitgesluit word nie.

Bestuur en gebruik van masjinerie:
Nalatige invloed

Die neem van ander medisyne met STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON:
Lig altyd u professionele gesondheidswerker in as u enige ander medikasie neem.

4. HOE OM STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON:

Die medisyne moet nie geneem word deur kinder jonger as 6 jaar nie.
Neem altyd **STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON** presies soos in die pamflet beskryf word, of soos deur u dokter, apteker of verpleegkundige aanbeveel is. Raadpleeg u dokter, apteker of verpleegster as u nie seker is nie.
Moet nie medisyne wat aan u voorgeskryf is, deel met enige ander persoon nie.
Tensy u dokter anders voorskryf, is die standaard dosis:
Volwassenes en kinders oor 6 jaar

- Die laagste effektiewe dosis behoort gebruik te word vir die korste moontlike tyd om simptome te verlig.
- Los een suigtablet op in die mond elke 2 tot 3 ure/
- Moet nie meer as 12 suigtablette neem in enige 24 uur periode nie.
- Bejaardes: Daar is nie enige dosisaanpassings nodig nie

Indien u meer STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON neem as wat u behoort:
In die geval van ’n oordosis, raadpleeg u dokter of apteker. Indien daar nie een beskikbaar is nie, kontak die naaste hospitaal of gifbeheersentrum.
In die onwaarskynlike geval van ’n oordisis, word ernstige newe-effekte nie verwag nie.
Daar mag spysverteringskanaal ongemak ervaar word.

5. MOONTIKE NEWE-EFFEKTE

STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON mag newe-effekte hê

Liggaamstelsel	Frekwensie	Nadelige Gevolge
Immuniteitstelsel Versteuring	Onbekend	Hipersensitiwiteit[ab]
Spysverteringskanaal Versteuring	Onbekend	Maagpyn[ab] naarheid[ab], orale ongemak[ab]
Vel- en onderhuidse weefselafwykings	Onbekend	Veluitslag[ab]

[a]2, 4-dichloorbenzylalkohol [b]amielmetakresol
Nie alle newe-effekte wat vir hierdie medisyne aangemeld word, is in hierdie pamflet ingesluit nie.
Indien u algemene gesondheid vererger tydens die gebruik van hierdie medisyne, raadpleeg u dokter, apteker.
Indien u let op enige newe-effekte wat nie in hierdie blaai genoem word nie, raadpleeg u dokter of apteker.

6. BERGINGSAANWYSINGS EN VERWYDERING VAN STREPSILS ORIGINAL OF STREPSILS SOOTHING HONEY AND LEMON

Hou alle medisyne buite die bereik van kinders.
Bewaar teen of benede 25˚C.
Moet nie die produk gebruik na verloop van die vervaldatum wat op die karton aangedui word nie.
Besorg alle ongebruikte medisyne terug aan u apteker.
Moet nie wegdoen met ongebruikte medisyne in dreine en rioolstelsels (bv. Toilette) nie.

7. AANBIEDING:

Strepsils Original: Kartonne bevat 24 stulpstrook verpakte suigtablette
Strepsils Soothing Honey and Lemon: Kartonne bevat 8, 10 of 24 stulpstrook verpakte suigtablette

8. IDENTIFIKASIE

Strepsils Original:
'n rooi sirkelvormige suigtablet met 'n hoofaaklik anysagtige reuk en 'n kenmerkende suuragtige smaak en die Strepsils handelsmerk beide kante ingekerf
Strepsils Soothing Honey and Lemon:
'n geel, sirelvormige suigtablet met 'n smaak hoofsaaklik van heuning en suurlemoen en die Strepsils handelsmerk beide kante ingekerf

9. REGISTRASIENOMMER/VERWYSINGSNOMMER:

STREPSILS ORIGINAL: H1468 (ACT 101/1965)

STREPSILS SOOTHING HONEY AND LEMON: E/16.4/46

10. NAAM, BESIGHEIDSADRES EN TELEFOONNOMMER VAN DIE HOUER VAN DIE SERTIFIKAAT VAN REGISTRASIE:

Reckitt Benckiser Pharmaceuticals (Edms) Bpk
8 Jet Park Road
Elandsfontein
1601
+2711 871 1611

11. DATUM VAN PUBLIKASIE VAN DIE PASIËNT-INLIGTINGSVOUBILJET:

Datum op die registrasiesertifikaat:
Strepsils Soothing Honey and Lemon: 09 Maart 1972
Strepsils Original: Old Medicine
Datum op die mees onlangste pasiënt-inligtingsvoubiljet: 20 Desember 2019

Gaan asseblief na die web adres vir die ooreenstemmende professionele informasie:
https://cpdcentre.co.za/product-inserts/Strepsils-Original-Soothing-Honey-Lemon.pdf