PATIENT INFORMATION LEAFLET

SCHEDULING STATUS: S0

SKABI-RID LOTION

Permethrin

Read this entire leaflet carefully because it contains important information for you.

SKABI-RID LOTION is available without a doctor's prescription for you to treat a mild illness. Nevertheless, you still need to use SKABI-RID LOTION carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share SKABI-RID LOTION with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve after 30 days.

What is in this leaflet

1. What SKABI-RID LOTION is and what it is used for
2. What you need to know before you use SKABI-RID LOTION
3. How to use SKABI-RID LOTION
4. Possible side effects
5. How to store SKABI-RID LOTION
6. Contents of the pack and other information

1. What SKABI-RID LOTION is and what it is used for

SKABI-RID LOTION is used for the treatment of scabies.

2. What you need to know before you use SKABI-RID LOTION

Do not use SKABI-RID LOTION:

If you are hypersensitive (allergic) to permethrin or any of the other ingredients (listed in section 6).

Warnings and precautions

Special care should be taken with SKABI-RID LOTION:

- SKABI-RID LOTION may be very mildly irritating to the eyes. Avoid contact with the eyes during application and flush with water immediately if the product gets into the eyes.
- If irritation of the skin persists, consult your physician.

Children and adolescents

Do not apply SKABI-RID LOTION to children because safety of use is not yet known.

Other medicines and SKABI-RID LOTION

Always tell your health care provider if you are taking any other medicine. (This includes all complementary or traditional medicines.)

Pregnancy and breastfeeding

If you are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby, please consult your doctor, pharmacist or other health care professional for advice before taking this medicine.

The safety of SKABI-RID for use during pregnancy and breastfeeding has not been established.

Driving and use of machinery

It is expected for SKABI-RID LOTION to have no or negligible effects on the ability to drive and use of machines.

It is not always possible to predict to what extent SKABI-RID LOTION may interfere with the daily activities of a patient. Patients should ensure that they do not engage in the above activities until they are aware of the measure to which SKABI-RID LOTION affects them.

SKABI-RID LOTION contains polysorbate.

Polysorbates can cause allergic reactions.

3. How to use SKABI-RID LOTION

Do not share medicines prescribed for you with any other person.

Always use SKABI-RID LOTION exactly as described in this leaflet or as your doctor, pharmacist or nurse have told you. Check with your doctor, pharmacist or nurse if you are not sure.

Apply lotion over the whole body from ears all the way down to the soles of the feet. Leave on overnight and wash off the following morning (after 8 to 12 hours). Repeat after two weeks if necessary.

Do not apply directly to face.

SHAKE BOTTLE BEFORE USE.

For external use only.

If you have the impression that the effect of SKABI-RID LOTION is too strong or too weak, talk to your doctor or pharmacist.

If you use more SKABI-RID LOTION than you should

In the event of over dosage, consult your doctor or pharmacist. If neither is available seek help at the nearest hospital or poison centre.

If you forget to use SKABI-RID LOTION

If it was necessary to repeat the application of SKABI-RID LOTION after 2 weeks and you have forgotten, ask your doctor or pharmacist for advice.

4. Possible side effects

SKABI-RID LOTION can have side effects.

Not all side effects for this medicine are included in this leaflet. Should your general health worsen while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

Tell your doctor if you notice any of the following:

Uncommon/Less frequent side effects:

- Burning of the skin can be experienced after application of the lotion.
- Mild itching, stinging and redness can also be experienced.

If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist.

Reporting of side effects

If you get side effects, talk to your doctor, pharmacist or nurse. You can also report side effects to SAHPRA via the Med Safety APP (Medsafety X SAHPRA) and eReporting platform (who-umc.org) found on SAHPRA website. By reporting side effects, you can help provide more information on the safety of SKABI-RID LOTION.

5. How to store SKABI-RID LOTION

Store below 25 ˚C, in a cool place.

Store all medicines out of reach of children.

Do not use after the expiry date stated on the label.

Return all unused medicine to your pharmacist.

Do not dispose of unused medicine in drains or sewerage systems (e.g. toilets).

6. Contents of the pack and other information

What SKABI-RID LOTION contains

The active substance is permethrin 50 mg per 1 g lotion.

The other ingredients are Nipastat (preservative) Carbopol Ultrez 10, Crodamol Cap, disodium edetate, polysorbate 80, sorbitan oleate, propylene glycol, trometamol and purified water.

What SKABI-RID LOTION looks like and contents of the pack

White pre-printed bottle with flip disc screw cap, filled with 100 ml lotion. The bottle is placed in a printed outer carton.

SKABI-RID LOTION is a white non greasy lotion.

Holder of Certificate of Registration

MC Pharma (Pty) Ltd.

62 Constantia Avenue, Mnandi

Centurion, 0157, South Africa

012 668 3019 / 071 639 7535

pharmacist@mcpharma.co.za

www.mcpharma.co.za

This leaflet was last revised in

20-October-2026

Registration Number

A 40/13.2/0756